 MODERNWATER	<p style="text-align: center;">SDS</p> <p style="text-align: center;">Safety Data Sheet According to Regulation (EC) No. 1907/2006</p>	Document No.: MSDS078 Version No.: 02 Effective Date: 01 Jan 2016
Chromium Total Electrolyte		

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1 Product Identifiers

Product name : Total Chromium Electrolyte
Product number : R-100-210ECR-01, R-300-500ECR-01
Substance name : Total Chromium Electrolyte PDV, Total Chromium Electrolyte OVA
REACH reg. no. : This product is exempt from registration, insufficient annual volume.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.3 Details of the supplier of the safety data sheet

Company : Modern Water Monitoring Limited
: Units 15-17 Cambridge Science Park
: Cambridge, CB4 0FQ
: UK
Email : info@modernwater.co.uk

1.4 Emergency telephone number

+44 (0) 1483 696030

SECTION 2: Hazards identification
2.1 Classification of the substance or mixture**Classification according to Regulation (EC) No 1272/2008 [EU-GHS/CLP]**

Acute oral and dermal toxicity (Category 4)

Skin Sensitization (Category 1)

Acute aquatic toxicity (Category 1)

2.2 Label elements:

Hazard pictogram



Signal Word: Harmful

Hazard statements:

H302 + H312	Harmful if swallowed or in contact with skin
H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.



MODERNWATER

SDS

Safety Data Sheet
According to Regulation (EC) No.
1907/2006

Document No.: MSDS078
Version No.: 02
Effective Date: 01 Jan 2016

Chromium Total Electrolyte

Page 2 of 8

Precautionary statements:

P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3 Other hazards : Not known

SECTION 3: Composition/information on ingredients

3.1 Substance : Not relevant, see 3.2 Mixtures

3.2 Mixtures

Hazardous ingredients classification according to Regulation (EC) No. 1272/2008 CLP

Substance name	Concentration	CAS No	EC No
Acetic acid	<1%	64-19-7	200-580-7
H226 – Flammable liquid and vapour			
H314 – causes severe skin burns and eye damage			
Hydroxylammonium Chloride	0.1%	5470-11-1	226-798-2
H290 – May be corrosive to metals.			
H302 + 312 - Harmful if swallowed or in contact with skin			
H315 - Causes skin irritation.			
H317 - May cause an allergic skin reaction.			
H319 - Causes serious eye irritation.			
H351 - Suspected of causing cancer.			
H373 - May cause damage to organs through prolonged or repeated exposure.			
H410 - Very toxic to aquatic life with long lasting effects.			

SECTION 4: First Aid measures

4.1 Description of first aid measure

General advice: When in doubt or if symptoms observed, get medical advice. Show this safety data sheet to the doctor in attendance.

After Inhalation: Remove casualty to fresh air and keep warm. If breathing difficult or respiratory tract irritation get medical assistance. If not breathing, give artificial respiration and get urgent medical assistance.

In case of skin contact: Remove contaminated clothing. Wash off with soap and plenty of water.

After eye contact: Rinse thoroughly with plenty of water for at least 15 minutes. Remove contact lenses. Get urgent medical assistance.

*Uncontrolled copy unless stamped 'Controlled' or viewed as pdf.
If this is an uncontrolled copy, verify the revision is current before use.*



MODERNWATER

SDS

Safety Data Sheet
According to Regulation (EC) No.
1907/2006

Document No.: MSDS078
Version No.: 02
Effective Date: 01 Jan 2016

Chromium Total Electrolyte

Page 3 of 8

In case of ingestion: If accidentally swallowed rinse mouth with plenty of water (only if person is conscious). Do not induce vomiting. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5: Fire-fighting measures.

5.1 Extinguishing media:

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

No restriction

5.2 Special hazards arising from the substance or mixture

Possible toxic gasses

5.3 Advice for firefighters

Wear self-contained breathing apparatus.

5.4 Additional information

Do not let run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures.

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment (see section 8). Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

6.2 Environmental precautions

Do not let large quantities enter drains or surface water. Spills are to be contained. Discharge into environment must be avoided.


6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material. Keep in a suitable closed container for disposal. Dispose correctly, referring to local regulations.

6.4 References to other sections

For disposal see section 13.

*Uncontrolled copy unless stamped 'Controlled' or viewed as pdf.
If this is an uncontrolled copy, verify the revision is current before use.*

 MODERNWATER	<p style="text-align: center;">SDS</p> <p style="text-align: center;">Safety Data Sheet According to Regulation (EC) No. 1907/2006</p>	Document No.: MSDS078 Version No.: 02 Effective Date: 01 Jan 2016
Chromium Total Electrolyte		

SECTION 7: Handling and storage.

- 7.1 Precautions for safe handling**
Avoid exposure to skin and eyes.
- 7.2 Conditions for safe storage, including and incompatibilities**
Store in a cool place, below 25°C. Keep contained upright and the cap tightly closed.
- 7.3 Specific end use(s)**
Apart from uses specified in section 1.2, no other specific uses.

SECTION 8: Exposure controls/personal protection.

- 8.1 Control parameters**
Components with workplace control parameters

Component	CAS-No	Value type	Limit value	
Acetic acid	64-19-7	STEL	15ppm (37mg/m ³)	EU and UK EH40 WEL
		TWA	10ppm (25mg/m ³)	EU and UK EH40 WEL

- 8.2 Exposure controls:**
Appropriate engineering controls
Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at end of workday.

Personal protective equipment

Wear suitable protective clothing

Eye/face protection

Safety glasses with side-shields conforming to EN166 or equivalent standard.

Skin protection

Handle with gloves (PVC or nitrile)

SECTION 9: Physical and chemical properties.

9.1 Information on basic physical and chemical properties

Appearance	Clear colourless liquid
Odour	slight odour of acetic acid
Odour threshold	no data available
pH	4.5 (Approx.)
Melting point/range (°C)	no data available
Boiling point (°C):	100 (Approx.)
Flash point	not flammable
Evaporation rate	not applicable
Flammability (solid/gas)	not applicable
Upper/lower flammability rates	not flammable



MODERNWATER

SDS

Safety Data Sheet
According to Regulation (EC) No.
1907/2006

Document No.: MSDS078
Version No.: 02
Effective Date: 01 Jan 2016

Chromium Total Electrolyte

Page 5 of 8

Vapour pressure (mmHg at 20°C)	25 (Approx.)
Vapour density	not applicable
Relative density	1.0
Water solubility	completely miscible
Partition coefficient: n-octane/water	not applicable
Auto ignition temperature	no data available
Decomposition temperature	no data available
Viscosity	not applicable
Explosive properties	no data available
Oxidising properties	no data available

9.2 Other data

None

SECTION 10: Stability and reactivity.

10.1 Reactivity

Mildly reactive to metals and bases.

10.2 Chemical stability

This product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Strong oxidising agents, strong bases.

10.6 Hazardous decomposition products

None

SECTION 11: Toxicological information.

11.1 Information on toxicological effects

Acute toxicity

No data available

Skin corrosion/irritation

May cause skin irritation.

Serious eye damage/eye irritation

May cause eye irritation

*Uncontrolled copy unless stamped 'Controlled' or viewed as pdf.
If this is an uncontrolled copy, verify the revision is current before use.*



MODERNWATER

SDS

Safety Data Sheet
According to Regulation (EC) No.
1907/2006

Document No.: MSDS078
Version No.: 02
Effective Date: 01 Jan 2016

Chromium Total Electrolyte

Page 6 of 8

Respiration or skin sensitisation

Not sensitising

Germ cell mutagenicity

No data available

Carcinogenicity

Suspected human carcinogens

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ exposure – single exposure

No data available

Specific target organ exposure – repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Not applicable

Other adverse effects

No data available

SECTION 12: Ecological information.

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available, expected to biodegrade, miscible with water

12.3 Bioaccumulative potential

No data available, Bioaccumulation unlikely

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

*Uncontrolled copy unless stamped 'Controlled' or viewed as pdf.
If this is an uncontrolled copy, verify the revision is current before use.*



MODERNWATER

SDS

Safety Data Sheet
According to Regulation (EC) No.
1907/2006

Document No.: MSDS078
Version No.: 02
Effective Date: 01 Jan 2016

Chromium Total Electrolyte

Page 7 of 8

SECTION 13: Disposal considerations.

13.1 Waste treatment methods:

Product

Dispose in accordance to local regulations; consult the local waste disposal expert.

Contaminated packaging

Dispose in accordance to local regulations, the same way as the product itself.

SECTION 14: Transport information.

Non – Hazardous for air, road and sea transport.

Land transport (ADR/RID)

14.1	UN number	Not applicable
14.2	UN proper shipping name	Not applicable
14.3	Transport hazard	Not applicable
14.4	Packaging group	Not applicable
14.5	Environmental hazards	Not applicable
14.6	Special precaution for user	Not applicable


Air transport (IATA)

14.1	UN number	Not applicable
14.2	UN proper shipping name	Not applicable
14.3	Transport hazard	Not applicable
14.4	Packaging group	Not applicable
14.5	Environmental hazards	Not applicable
14.6	Special precaution for user	Not applicable

SEA transport (IMDG)

14.1	UN number	Not applicable
14.2	UN proper shipping name	Not applicable
14.3	Transport hazard	Not applicable
14.4	Packaging group	Not applicable
14.5	Environmental hazards	Not applicable
14.6	Special precaution for user	Not applicable

*Uncontrolled copy unless stamped 'Controlled' or viewed as pdf.
If this is an uncontrolled copy, verify the revision is current before use.*

 MODERNWATER	<p style="text-align: center;">SDS</p> <p style="text-align: center;">Safety Data Sheet According to Regulation (EC) No. 1907/2006</p>	Document No.: MSDS078 Version No.: 02 Effective Date: 01 Jan 2016
Chromium Total Electrolyte		

SECTION 15: Regulatory information.**15.1 Safety, health and environmental regulation/legislation specific for the substance or mixture**

None applicable

15.2 Chemical Safety Assessment

No data available

SECTION 16: Other information.**Abbreviations and acronyms**

ADR – European Agreement Concerning the International Carriage of Dangerous Goods by Road

IATA – International Air Transportation Association

IMDG – international Maritime Code of Dangerous Goods

STEL – Short term exposure limit

TWA – Time Weighted Average

WEL – Workplace Exposure Limit

Symbol, R and S phrases for this mixture

Symbol	Xi- Irritant	
R-phrase(s)	R21/22	Harmful in contact with skin and if swallowed
	R43	May cause sensitisation by skin contact
	R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment
S-phrase(s)	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
	S37/37	Wear suitable protective clothing and gloves
	S61	Avoid release into the environment

All information given by the Company is offered in good faith and is believed to the best of our knowledge to be accurate. However this information is offered without warranty representation inducement or licence and the Company does not assume legal responsibility for reliance upon the same.

Every person dealing with the materials referred to herein does so at his or her own risk absolutely and must make independent determinations of suitability and completeness of information from all sources to ensure their proper use.